



CKMT2 Antibody

E2200736**Size** 100ug**Cat code** E2200736**Species Cross-reactivity** R**Key Application** WB: 1/500-1/2000; ELISA: 1/2000-1/5000; IHC: 1/50-1/200**Host** Mouse**Antibody type** Monoclonal antibody**Purified method** Affinity purified **Isotype** IgG2b**Molecular Weight** 47kDa

Sensitivity This antibody detects endogenous levels of CKMT2 and does not cross-react with related proteins.

Immunogen Purified recombinant human CKMT2 protein fragments expressed in E.coli.

UniProt Number P17540

GeneBank ID NM_001825.2

Subcellular location Mitochondrion inner membrane; Peripheral membrane protein; Intermembrane side.

Formulation Purified mouse monoclonal in buffer containing 0.1M Tris-Glycine (pH 7.4, 150 mM NaCl) with 0.2% sodium azide, 50% glycerol

Altername Basic-type mitochondrial creatine kinase Short name=Mib-CK Sarcomeric mitochondrial creatine kinase Short name=S-MtCK


Gene_symbol SMTCK

UniPort summary Function Reversibly catalyzes the transfer of phosphate between ATP and various phosphogens (e.g. creatine phosphate). Creatine kinase isoenzymes play a central role in energy transduction in tissues with large, fluctuating energy demands, such as skeletal muscle, heart, brain and spermatozoa.

Entrez summary Mitochondrial creatine kinase (MtCK) is responsible for the transfer of high energy phosphate from mitochondria to the cytosolic carrier, creatine. It belongs to the creatine kinase isoenzyme family. It exists as two isoenzymes, sarcomeric MtCK and ubiquitous MtCK, encoded by separate genes. Mitochondrial creatine kinase occurs in two different oligomeric forms: dimers and octamers, in contrast to the exclusively dimeric cytosolic creatine kinase isoenzymes. Sarcomeric mitochondrial creatine kinase has 80% homology with the coding exons of ubiquitous mitochondrial creatine kinase. This gene contains sequences homologous to several motifs that are shared among

For Research Use Only

some nuclear genes encoding mitochondrial proteins and thus may be essential for the coordinated activation of these genes during mitochondrial biogenesis. Three transcript variants encoding the same protein have been found for this gene.



Western blot detection of CKMT2 in Rat Brain lysates using CKMT2 antibody (1:1000 diluted). Predicted band size:47KDa. Observed band size:47KDa.