





DZIP3 Polyclonal Antibody

E20-71440**Catalog Number:**E20-71440 **Amount:**100ul **Applications:**WB,IHC-p,ELISA **Reactivity:**Human**Gene Name:**DZIP3 **Protein Name:**E3 ubiquitin-protein ligase DZIP3 **Human Gene Id:**9666**Human Swiss Prot No:**Q86Y13 **Mouse Swiss Prot No:**Q7TPV2 **Storage:**-20°C/1 year**Concentration:**1 mg/ml **Molecular Weight (Da):**138604 **Observed Band(KD):**140**Expression:**Brain,Liver,Skin,Testis,Uterus **Subcellular Location:**cytoplasm **Source:**Rabbit**Immunogen:**The antiserum was produced against synthesized peptide derived from human DZIP3. AA range:681-730**Specificity:**DZIP3 Polyclonal Antibody detects endogenous levels of DZIP3 protein.**Formulation:**Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.**Dilution:**Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.**Purification:**The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen..**Other Names:**DZIP3; KIAA0675; E3 ubiquitin-protein ligase DZIP3; DAZ-interacting protein 3; RNA-binding ubiquitin ligase of 138 kDa; hRUL138**Background:**function:E3 Ubiquitin ligase proteins mediate ubiquitination and subsequent proteasomal degradation of target proteins. E3 ubiquitin ligases accept ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates.

Western blot analysis of DZIP3 Antibody. The lane on the right is blocked with the DZIP3 peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using DZIP3 Antibody. The lane on the right is blocked with the DZIP3 peptide.

For Research Use Only